



AIR & VAPOR BARRIER

Compatible Sealants

	CCW-705/705 FR-A		CCW Barriseal®		CCW Barritech™ NP		CCW Barritech VP	
Common Sealants	Under	Over	Under	Over	Under	Over	Under	Over
CCW LM-800XL	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CCW-201	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Carlisle Universal Single-Ply Sealant	No	Yes	No	No	Yes	Yes	Yes	Yes
Carlisle Lap Sealant	No	Yes	No	No	Yes	Yes	Yes	Yes
Sonneborn NP1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Sonneborn NP2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SikaFlex® 1A	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SikaFlex 2C NS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tremco Dymonic®	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tremco Dymeric® 240FC	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tremflex® 834	No	No	No	No	Yes	No	Yes	No
Pecora Dynatrol I	No	Yes	No	Yes	Yes	Yes	Yes	Yes
Pecora Dynatrol II	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pecora AC-20/AC-20 PLUS	No	No	No	No	Yes	No	Yes	No
DAP Alex PLUS	No	No	No	No	Yes	No	Yes	No
Chemlink Novalink	No	Yes	No	No	Yes	Yes	Yes	Yes
Dow 758	No	Yes	No	No	No	Yes	No	Yes
Dow 790	No	Yes	No	No	No	Yes	No	Yes
Dow 791	No	Yes	No	No	No	Yes	No	Yes
Dow 795	No	Yes	No	No	No	Yes	No	Yes
GE Silpruf®	No	Yes	No	No	No	Yes	No	Yes
GE Silpruf LM	No	Yes	No	No	No	Yes	No	Yes
Pecora 890	No	Yes	No	No	No	Yes	No	Yes
Pecora 895	No	Yes	No	No	No	Yes	No	Yes

Notes: Allow Solvent-Based sealants to cure before covering with CCW AVB Membranes. Follow application instructions by sealant manufacturer. Do not install 1-Component sealants into joints exceeding ½" depth. Other sealants can be used as approved by Carlisle Coatings & Waterproofing.